

Transport trolley JFB 40 H Professional - NEW

Power and stability - the JLB 40 H transport trolley from JUNG can lift loads of up to 40 t with an installation height of 230 mm.

Product number 10 401 206-H

Weight 222kg



Product description

Features of the JUNG Transport trolleys JFB 40 H Professional




- Despite their very high load capacity, these transport trolleys remain compact and lightweight.
- The redesigned steering unit features fewer rollers, allowing for a more compact design without compromising load capacity – made possible by advanced roller technology.
- The new, more compact construction and reduced number of rollers result in a noticeable weight reduction.
- By halving the roller width and doubling the number of rollers, steering movements are significantly improved and friction during cornering is greatly reduced.
- The mechanical pendulum mounting of the cassettes and axles ensures even load distribution across the rollers and the floor surface – eliminating the need for complex and failure-prone hydraulic compensation systems.
- All transport trolleys are delivered fully assembled and ready for immediate use.

JUNG transport trolleys are fitted with ball-bearing rollers for smooth and effortless movement. The rollers come standard with a low-wear tread.

Product properties

Cassettes adjustable from - to (mm)	585 - 1 500
Load capacity (suitable)	61 - 200 t
Cassette dimensions (mm)	740 x 300
Weight JUWAthan® (kg)	222
Height (mm)	230
Supporting surface per cassette (mm)	400 x 260
Number of castors (Pieces)	2 x 6
Connecting bar with joint (mm)	2 x 1 540
Castor dimensions (Ø x l mm)	200 x 85
Load capacity (t)	40

More images

**JFB 40 H** | Art-No. 10 401 206-H | Made by JUNG in Germany**JFB 40 H** | Art-No. 10 401 206-H | Draufsicht | Top view**JUNG****JFB 40 H** | Art-No. 10 401 206-H | Frontansicht | Front view**JUNG****JFB 40 H** | Art-No. 10 401 206-H | Seitenansicht | Side view**JUNG**