


# Transport trolley JFB 40 H Professional - NEW

Power and stability - the JLB 40 H transport trolley from JUNG can lift loads of up to 40 t with an installation height of 230 mm.

**Product number** 10 401 206-H

**Weight** 270kg



## Product description

Features of the JUNG Transport trolleys JFB 40 H Professional

- Despite their very high load capacity, these transport trolleys remain compact and lightweight.
- The redesigned steering unit features fewer rollers, allowing for a more compact design without compromising load capacity – made possible by advanced roller technology.
- The new, more compact construction and reduced number of rollers result in a noticeable weight reduction.
- By halving the roller width and doubling the number of rollers, steering movements are significantly improved and friction during cornering is greatly reduced.
- The mechanical pendulum mounting of the cassettes and axles ensures even load distribution across the rollers and the floor surface – eliminating the need for complex and failure-prone hydraulic compensation systems.
- All transport trolleys are delivered fully assembled and ready for immediate use.

JUNG transport trolleys are fitted with ball-bearing rollers for smooth and effortless movement. The rollers come standard with a low-wear tread.

## Product properties

<b>Cassettes adjustable from - to (mm)</b>	585 - 1 500
<b>Load capacity (suitable)</b>	61 - 200 t
<b>Weight JUWAthan® (kg)</b>	270
<b>Cassette dimensions (mm)</b>	740 x 300
<b>Height (mm)</b>	230
<b>Supporting surface per cassette (mm)</b>	400 x 260
<b>Number of castors (Pieces)</b>	2 x 6
<b>Connecting bar with joint (mm)</b>	2 x 1 540
<b>Castor dimensions (Ø x l mm)</b>	200 x 85
<b>Load capacity (t)</b>	40

## More images

