

# Transport trolley JFB 80 H Professional - NEW

Powerful: the JFB 80 H transport trolley from JUNG can lift loads, in a set, up to 160 t. Installation height: 240 mm.

**Product number** 10 801 206-H

**Weight** 458kg



## Product description

Features of the JUNG Transport trolleys JFB 80 H Professional

- Despite their high load capacity, the transport trolleys feature a compact and weight-optimized design.
- The newly developed trolley with a reduced number of rollers enables a more compact construction without compromising load capacity – made possible by the use of advanced roller technology.
- The reduced number and optimized arrangement of rollers result in significant weight savings.
- The combination of halved roller width and doubled roller quantity significantly improves maneuverability and greatly reduces frictional forces during cornering.
- A mechanical pendulum suspension of the cassettes or axles ensures even load distribution across all rollers and the ground surface, eliminating the need for a hydraulic leveling system.
- The tank rollers are delivered fully pre-assembled and are ready for immediate use without additional installation effort.

JUNG transport trolleys are fitted with ball-bearing rollers for smooth and effortless movement. The rollers come standard with a low-wear tread.

## Product properties

<b>Load capacity (suitable)</b>	61 - 200 t
<b>Weight JUWathan® (kg)</b>	458
<b>Cassettes adjustable from - to (mm)</b>	580 x 2 800
<b>Supporting surface per cassette (mm)</b>	400 x 260
<b>Load capacity (t)</b>	2 x 40
<b>Cassette dimensions (mm)</b>	740 x 580
<b>Height (mm)</b>	240
<b>Castor dimensions (Ø x l mm)</b>	200 x 85
<b>Number of castors (Pieces)</b>	2 x 12
<b>Connecting bar with joint (mm)</b>	2 x 3 000

## More images

