

Transport trolley JFB 80 H Professional - NEW

Power and stability - the JLB 40 H transport trolley from JUNG can lift loads of up to 40 t with an installation height of 230 mm.

Product number 10 801 206-H

Weight 458kg



Product description

Features of the JUNG Transport trolleys JFB 80 H Professional

- Despite their high load capacity, the transport trolleys feature a compact and weight-optimized design.
- The newly developed trolley with a reduced number of rollers enables a more compact construction without compromising load capacity – made possible by the use of advanced roller technology.
- The reduced number and optimized arrangement of rollers result in significant weight savings.
- The combination of halved roller width and doubled roller quantity significantly improves maneuverability and greatly reduces frictional forces during cornering.
- A mechanical pendulum suspension of the cassettes or axles ensures even load distribution across all rollers and the ground surface, eliminating the need for a hydraulic leveling system.
- The tank rollers are delivered fully pre-assembled and are ready for immediate use without additional installation effort.

JUNG transport trolleys are fitted with ball-bearing rollers for smooth and effortless movement. The rollers come standard with a low-wear tread.

Product properties

Load capacity (suitable)	61 - 200 t
Weight JUWathan® (kg)	458
Cassettes adjustable from - to (mm)	580 x 2 800
Supporting surface per cassette (mm)	400 x 260
Load capacity (t)	2 x 40
Cassette dimensions (mm)	740 x 580
Height (mm)	240
Castor dimensions (Ø x l mm)	200 x 85
Number of castors (Pieces)	2 x 12
Connecting bar with joint (mm)	2 x 3 000

More images

