

# Transport trolley JLA-e 5/12 G facelift

The electric-powered transport trolley JLA-e 5/12 G is easy to operate and does not require an additional towing vehicle. Suitable for loads up to 12 tons.

**Product number** 22 005 200-G

**Weight** 186kg



## Product description

### Advantages of Electric Powered Transport Trolleys

- No separate towing vehicle required.
- Convenient, with battery and handy remote control! Based on 2.4 GHz, with a cable connection port, single or dual-hand operation, vibration feedback, etc.
- High runtime (under full load in ideal conditions) thanks to a directly driven motor. Transport trolley JLA-e 5/12 G: approx. 4-5 hours.
- The new generation of drives prevents rolling away, even when switched off.
- The new battery indicator displays various parameters in real-time, such as voltage, current, or state of charge.
- Short charging time due to an optimized charger. Charging time for the JLA-e 5/12 G transport trolley: approx. 3-4 hours.
- 360° rotatable.
- Infinitely variable speed control.
- The advanced LiFePo4 cell technology with higher energy density allows for a more compact design.
- Compatible with the G series castors. The trolleys are not included in the delivery.
- Also available with lift. See here.
- Side cover plates with JUNG lettering provide dirt protection and an attractive design.
- Tested according to DGUV V68 (D).

## Product properties

Dimensions (mm)	750 x 900
Weight battery + box (kg)	45
Weight without battery + controller (kg)	146
Operational time (h)	4 - 5
Battery and charger	1 x
Operating mode in acc. with VDE 0530	S1
Number of castors (Pieces)	4
Remote control, charger and belt with holder	1 x
Pulling capacity (t)	12
Weight charger (kg)	2
Castor dimensions (Ø x l mm)	140 x 59
Height (mm)	180
Supporting surface of turnable Ø (mm)	150
Speed (m/min)	10
Load capacity (t)	5

## More images

