

Revolving transport trolley JKB 8 K Set

Compact and maneuverable revolving transport trolley from JUNG with robust JUWAmid rollers. The JKB 8 K set moves loads of up to 16 t with a low installation height of only 110 mm.

Product number 14 080 085-D

Weight 128kg



Product description

Advantages of the revolving transport trolley set JKB 8 K with JUWAmid castors

- Optional connecting bars can be fixed without tools by clamping down on adapter.
- High load capacity at low weight.
- The wheel assemblies are equipped with ball bearing swivel casters that allow for a 360-degree rotation.
- Mix and match revolving trolleys with transport trolleys: With an installation height of only 110 mm*, the rotating transport trolley JKB 8 is compatible with all steering and transport undercarriages of the K series.
- All products are also available in a set of two with price advantage.
- Unrivalled: The double roller system reduces rolling and turning resistance to a minimum.
- Using the slots in the platform, the trolleys JKB 4 - 8 can be affixed to the load with standard tiedown belts.
- In addition, all the rotational trolleys have a platform center hole to allow attachment to the load.
- For choosing the adequate revolving trolley we recommend a load of two-third of the maximum capacity. This will be the most advantageous compromise between payload, ergonomics and handling of the devices.
- Pulling handle and connecting bars available as accessories.
- Inspected according to technical regulation ANSI ? ASME (USA)
- The rotary castors are equipped with JUWAmid wheels made of high-quality polyamide and each containing two ball bearings. These wheels are particularly suitable for flat and smooth industrial floors that have no significant contamination.



*) Due to technical changes, there may be tolerances of up to + 4.5 mm in the installation height since 2014.

Product properties


Number of castors (Pieces)	2 x 20
Supporting surface per cassette (mm)	250
Castor dimensions (Ø x l mm)	85 x 43
Consist of	2 x JKB 8 K
Height (mm)	110
Cassette dimensions (mm)	895 x 740
Weight JUWAmid (kg)	128
Load capacity (t)	16

More images


Image not found or type unknown



JKB 8 K | Art.No. 14 080 085-P | Draufsicht | Top view



JKB 8 K | Art.No. 14 080 085-P | Seitenansicht | Side view



JKB 8 K | Art.No. 14 080 085-P | Frontansicht | Front view



