

Transport trolley JLA-p 15/30 G

The JLA-p 15/30 G transport trolley enables easy control, compact transport, and no battery charging time. Suitable for loads up to 30 tons.

Product number 22 150 140-V

Weight 250kg



Product description

Advantages of the air-powered transport trolleys JLA-p 15/30 G

- Quick set up. Connect air supply hose and go.
- Spare a towing vehicle.
- Low maintenance propulsion system.
- All hoses are detachable for compact and easy transport.
- 360° maneuverable.
- No need to charge any batteries.
- Ecofriendly, uses only compressed air.
- Requires standard shop air connection with 8 bar (116 psi) and air volume of 1500 L ? min (25 L ? s) or (53 SCFM).
- Infinitely variable speed and direction.
- Compatible with G-series transport trolleys (page 32-33).
- Model JLA-p 15 ? 30 G includes the trolley and remote control unit.
- Two air motors are independently controllable by two joysticks.
- Maneuverability: Forward, reverse, in place turning.
- Higher capacities available on request.

Product properties

Air consumption (L/sec)	25
Dimensions (mm)	650 x 1 000
Supporting surface of turnable Ø (mm)	215
Required air pressure (bar)	8
Weight without control box (kg)	175
Number of castors (Pieces)	16
Castor dimensions (Ø x l mm)	140 x 59
Height (mm)	180
Pulling capacity (t)	30
Load capacity (t)	15

More images

