

Hand pump JP 26

Hand pumps with pressure limiting valve – perfectly matched to our lifting devices for safe, reliable and efficient operation every time.

Product number 02 260 000-P

Weight 13kg



Product description

Advantages of hand pumps

- Sturdy construction, yet lightweight and easy to handle.
- Pressure limiting valve provides safety against overloading.
- Optimally compatible with our hydraulic jacks.
- Pumps are equipped with integrated quick-lift for faster working.

Product properties

Dimensions L x W x H (mm)	770 x 169 (Breite Fußplatte) x 175
Flow rate per stroke (L)	0,0132 (0-14 bar)/0,0023 (14-520 bar)
Connections (pcs.)	2
Oil volume complete/usable (L)	2,3/2,2
Working pressure (bar)	520
Weight (kg)	13

More images

JP 26 HÜBE PRO HEBEVORGANG *

BEZEICHNUNG	1 HEBER	2 HEBER
JH 6 G plus	78	157
JH 10 G plus / G plus ku / G plus EX	130	261
JH 15 G plus / G plus EX	217	435
JH 20 G plus / G plus EX	317	635
JH 30 G plus EX	552	1104
JHS 5	130	261
JHS 10	204	409
JHS 10 ku	91	183

Förderleistung je Pumpenhub (l) $0,0132 + 0,0023$

*Annahme, dass pro Hub 0,0023 l gefördert werden.

KLASSENEINTEILUNG

HÜBE MIT HANDPUMPE


bis 299

300 - 449

ab 450



JP 26 | Art.No. 02 260 000-P | Draufsicht | Top view



JP 26 | Art.No. 02 260 000-P | Frontansicht | Front view



